

# SESSION 1: INTRODUCTION TO DOT

### INTRODUCTION

In this 2-hour session, participants will learn the current scope of TB in the United States and in their own states and local jurisdictions. The objectives and process of TB case management will be reviewed, as well as the importance of patient adherence. Directly Observed Therapy (DOT) will be thoroughly defined and its major tasks described.

MATERIALS SUPPLIED FOR THIS

SESSION

- Outline for trainers
- Participant's Workbook (1 reproducible master copy)
- Masters for overhead transparencies or PowerPoint slides:
  - Worldwide TB Statistics
  - U.S. TB Statistics
  - Definition of DOT and DOT Tasks
  - Review Questions
- Video segment: A Day in the Life of the San Francisco DOT Program (5 min)

MATERIALS
YOU NEED
TO SUPPLY

- Duplicate Participant's Workbook for each participant
- · Poster paper, chalkboard, or dry-erase board
- Overhead projector or laptop and LCD projector
- · VCR and monitor
- Poster pens, chalk, or dry-erase markers
- Participant handout: Your state and local jurisdiction's most recent TB statistics
- PowerPoint slide or overhead transparency: Your state and local jurisdiction's most recent TB statistics

## Material in this session is adapted from:

- CDC TB Surveillance Slides for 2000. (http://www.cdc.gov/nchstp/tb/)
- Self-Study Modules on Tuberculosis: Module 9, Patient Adherence to Tuberculosis Treatment. Atlanta: Centers for Disease Control and Prevention: 1999.
- TB Frontline: Satellite Primer Continued: Modules 6 9, "Patient Adherence," broadcast on February 10, 2000.
- Tuberculosis Outreach Worker's Course. Presented by the Francis J. Curry National Tuberculosis Center on July 20 21, 2000, in San Francisco, California.

### SESSION OUTLINE FOR TRAINERS

#### 5 MIN LEARNING OBJECTIVES

Review with participants.

Upon completion of this training session, participants will be able to:

- 1. Describe the populations at risk for TB in the United States, and in their own states and local jurisdictions
- 2. State a working definition of case management
- 3. Explain why patient adherence is so important to successful TB control outcomes
- 4. Provide a working definition of DOT
- 5. Describe the four tasks involved in DOT
- 6. Describe who can deliver DOT and where it can be delivered
- 7. Name four groups that must receive DOT

## 25 MIN I. EPIDEMIOLOGY OF TUBERCULOSIS (OHs/PowerPoint slides)

Depending on the amount of time you have available, present all or part of the following epidemiology material. At the minimum, be sure to review the TB statistics for your local jurisdiction (see part C on page 1-4).



#### A. Worldwide

Review with participants, using overhead/PowerPoint slide: Worldwide TB Statistics.

- 1. Approximately 8 million new cases of active TB are diagnosed each year
- 2. World Health Organization (WHO) estimates 2 3 million deaths from TB annually
- 3. One in every three persons is infected with *Mycobacterium tuberculosis* (*M. tb*)

#### **B.** United States

Review with participants, using overheads/PowerPoint slides: U.S. TB Statistics.

- 1. Historically, the U.S. TB epidemic peaked in the late 1800s, followed by a steady decline until 1985
- 2. Between 1985 and 1992, the incidence of TB increased by 20% nationwide
  - a. Factors contributing to the increase:
    - increased immigration from countries with high incidence of TB
    - HIV infection
    - increasing numbers of people living in homeless shelters and correctional institutions, facilitating transmission of *M. tb*
    - decreased funding of TB control programs
  - b. Characteristics of the increase:
    - 92% of nation's total increase occurred in five states: New York, California, New Jersey, Florida, and Texas

- urban case rates rose 10%; nonurban rates fell from 54% to 46%
- African-American case rates increased 38%; White case rates decreased 11%
- foreign-born cases increased
- age group was young (25 45 years)

## 3. TB control from 1992 to the present

- a. Between 1992 and 2000, the number of cases decreased by 45%
- b. 2000 was the eighth straight year of declining numbers of cases and had the lowest case rate recorded since 1953, when national surveillance began
- c. 2000: 16,377 cases were reported (5.8 per 100,000) The following factors contributed to the decline:
  - more government funding made available for TB control
  - improved laboratory methods for prompt identification of *M. tb*
  - infection control in institutions, resulting in decreased transmission
  - expanded treatment of LTBI in high-risk groups
  - stronger efforts to ensure completion of therapy
  - DOT programs

## d. Drug resistance

- MDR-TB (resistance to isoniazid [INH] and rifampin) remains uncommon in U.S. (approximately 1% of cases diagnosed in 2000)
- INH resistance is approximately 8% of cases nationwide
- e. Race/ethnicity and U.S. born vs. foreign-born
  - between 1992 and 2000, there was a sharp increase in the percentage of cases occurring in foreign-born persons; the number of cases in foreign-born persons remained stable (approximately 7500 per year), whereas the number of cases in U.S. born persons decreased from more than 19,000 in 1992 to fewer than 9,000 in 2000
  - in 2000, approximately 75% of all reported TB cases occurred in racial and ethnic minorities
  - African-Americans account for almost 1 out of every 3 cases
  - in 2000, most foreign-born TB cases came from Mexico (almost 1/4 of all TB cases), Philippines, Vietnam, India, China, Haiti, and South Korea
  - approximately half of all foreign-born TB cases occur within 5 years after arrival in the U.S.
- f. Other high-risk groups (2000)
  - · alcohol: 15% of cases have excess alcohol use
  - injection drugs: 2.5% of cases are injection drug users
  - homeless: 6.1% of cases are homeless persons
  - occupation: 56.8% of cases were unemployed

The CDC listing of cases and case rates by state for 2000 and 2001 can be found at: http://www.cdc.gov/nchstp/tb/surv/Surv.htm.

## B. Tuberculosis in [STATE] and [LOCAL JURISDICTION]- [YEAR]

Review with participants, using overheads/PowerPoint slides: Your state and local jurisdiction's most recent TB statistics.

Provide your jurisdiction's information to the participants for the following:

- 1. Total number of new TB cases (Rate = # per 100,000) represents a(n) [decrease/increase] of #% from previous year
- 2. By age group
- 3. By race/ethnicity
- 4. Foreign-born vs. U.S. born
- 5. Breakdown by country of birth
- 6. Percentage of MDR-TB and/or INH-only resistant cases
- 7. HIV coinfection; substance use; occupation

#### **15 MIN**

### ► ACTIVITY



#### What's Your TB I.O.?

Divide participants evenly into two teams. Refer participants to page 1-4 of their workbooks. Pose the first question to the first person of Team 1; if the person answers correctly, Team 1 receives one point; proceed by asking the second question to the first person in Team 2. (Team members can help one another with the answers.) If the person answers incorrectly, the opposing team gets one chance to answer the question and receive the point. Proceed until all the questions are presented. The team with the highest number of points wins. Consider providing a choice of two simple prizes to the winning team (such as, hard candies, TB program key chains or pencils); give the nonchosen prize to the other team.

- 1. What proportion of the world's population is infected with *Mycobacterium tuberculosis*?
  - a. 1 of 20
  - b. 1 of 10
  - c. 1 of 5
  - d. 1 of 3 (answer)
- 2. After decades of steady decline, when did TB begin to rise again in the U.S.?
  - a. 1945-1950
  - b. 1960-1967
  - c. 1985-1992 (answer)
  - d. 1993-1998

3. Name one factor that led to the increase of TB in the U.S.

Correct answers could include: HIV infection; increased immigration from countries with high TB prevalence; increased numbers of people living in homeless shelters and correctional institutions; decreased funding of TB control programs.

4. Name another factor that led to the increase of TB in the U.S.

Correct answers could include: HIV infection; increased immigration from countries with high TB prevalence; increased numbers of people living in homeless shelters and correctional institutions; decreased funding of TB control programs.

5. Name one factor that led to the decrease in TB case rates since 1993.

Correct answers could include: improved laboratory methods for prompt identification of M. tb; infection control in institutions; expanded treatment of LTBI in high-risk groups; increased funding of TB control programs; DOT programs.

6. Name another factor that led to the decrease in TB case rates since 1993.

Correct answers could include: improved laboratory methods for prompt identification of M. tb; infection control in institutions; expanded treatment of LTBI in high-risk groups; increased funding of TB control programs; DOT programs.

- 7. Which of the following is not true?
  - a. In the U.S., 1 of every 3 TB patients is African-American.
  - b. In 2000, 20% of TB cases in the U.S. occurred in the foreign-born (correct answer is 46%).
  - c. Almost half of all foreign-born TB cases occur within 5 years of arrival in the U.S.
  - d. The HIV epidemic contributed to the rise in TB cases during the late 1980s.
- 8. Name a group at high risk for TB in the U.S.

Correct answers could include: immigrants from countries with high TB prevalence; HIV-infected individuals; substance users; homeless; the elderly.

- 9. Name a high-risk population for TB in your local jurisdiction.
- 10. What does LTBI stand for?

Latent tuberculosis infection.

15 MIN

### II. OVERVIEW OF TB CASE MANAGEMENT PROCESS AND OBJECTIVES



Review with participants. Customize this information to reflect the specific procedures of your TB program. Refer participants to page 1-5 of their workbooks.

## A. Definition of case management

- 1. Primary responsibility for coordination of patient care to ensure that patients' medical, psychological, and social needs are met
- 2. The assignment of an individual or team of people to be primarily responsible for care of patients with TB disease

## B. Goals of a TB case management program

- 1. To make the patient noninfectious
- 2. To ensure that effective treatment is promptly started
- 3. To prevent the disease from getting worse (including drug resistance)
- 4. To identify and remove challenges to adherence
- 5. To provide the client with information on TB and its treatment
- 6. To identify those individuals who may have been exposed to the case and are at risk for TB infection
- 7. To identify and address other health and related needs

## C. The role and primary responsibility of the case manager is to ensure that:

- 1. Each newly diagnosed client is educated about TB and its treatment
- 2. Therapy is appropriate, continuous, and completed
- 3. The client's ongoing status and response to therapy are monitored until treatment is complete
- 4. Contacts are identified, evaluated, referred, and monitored
- 5. Other urgent health and social needs of the patient are addressed
- 6. All staff involved with the patient have adequate knowledge and skills, and a professional, caring attitude
- 7. Communication is maintained among all health and social service providers

## D. Where does DOT fit into the case management process?

- 1. DOT is a component of case management that helps to ensure that patients receive effective treatment and adhere to it
- 2. DOT is the most effective strategy for making sure patients take their medicines
- 3. In many health departments, DOT is the standard of care; that is, it is their goal to place all patients on DOT regardless of the patient's circumstances because it has been shown to be such an important treatment tool. The American Thoracic Society and the Centers for Disease Control and Prevention recommend that every TB patient be considered for DOT

## 10 MIN III. ADHERENCE

Review with participants. Refer participants to page 1-6 of their workbooks.

## A. Definition of adherence

Adherence to treatment means following the recommended course of treatment by taking all the prescribed medications for the entire length of time necessary.

## B. The possible consequences of TB patients not adhering to treatment can be severe:

- 1. Increases the development of drug-resistant TB
- 2. Contributes to ongoing transmission of TB infection
- 3. Leads to prolonged illness, disability, and possibly death from TB

### ► ACTIVITY

## Why is adherence so challenging?

Brainstorm answers to this question and record the answers on a chalkboard, poster sheet, or overhead transparency. When participants have no more ideas, fill in missing items as needed.

- Patient no longer feels sick but must continue medication for many months
- 2. Lack of knowledge about TB
- 3. Personal or cultural beliefs about TB
- 4. Forgetfulness
- 5. Lack of access to health care
- 6. Language barriers
- 7. Poor relationship(s) with health care worker(s)
- 8. Cultural barriers between patient and health care worker(s)
- 9. Lack of motivation
- 10. Medication side effects
- 11. Complex regimen
- 12. Competing priorities (e.g., need to find housing, access to drugs, and so forth)

13.		

**20 MIN** 

## IV. DEFINITION OF DOT AND DOT TASKS (OHs/PowerPoint slides)



Review with participants.

### A. Definition of DOT

DOT means that a health care worker or other designated individual (excluding a family member) watches the patient swallow every dose of the prescribed TB drugs ("supervised swallowing"). The American Thoracic Society and the Centers for Disease Control and Prevention recommend that every TB patient be considered for DOT. Some jurisdictions mandate that all patients be placed on DOT.

#### B. DOT tasks

- 1. Deliver medication
- 2. Check for side effects
- 3. Verify medication
- 4. Watch patient take pills
- 5. Document the visit

## C. DOT staff may also assist in:

- 1. Helping patients keep appointments
- 2. Providing patient education
- 3. Offering incentives and/or enablers to encourage adherence
- 4. Connecting patients with social services/transportation
- 5. Drawing upon their familiarity with the client's home environment to identify household contacts

### D. Who can deliver DOT?

- 1. Usually: TB clinic personnel, such as a nurse or other health care worker
- 2. Staff at other health care settings, such as outpatient treatment centers
- 3. Other responsible persons (school personnel, employer, clergy)
- 4. Not family members

### ► ACTIVITY



## Where is DOT delivered?

Brainstorm answers to this question and record the answers on a chalkboard, poster sheet or overhead transparency. When participants have no more ideas, fill in missing items as needed.

- 1. At a mutually agreed-upon place (by both patient and DOT worker)
- 2. In a safe environment (for both patient and DOT worker)
  - a. Clinic or other health care facility
  - b. Patient's home
  - c. Patient's workplace
  - d. A school
  - e. Public park, restaurant, or other agreed-upon public location (under a bridge or other homeless person's hangout)

## E. Can we reliably predict who will be nonadherent to their treatment?

No! Anyone can be nonadherent, regardless of social class, educational background, age group, gender, or ethnicity.

### ► ACTIVITY



## Which patients must have DOT?

Brainstorm answers to this question and record the answers on a chalkboard, poster sheet or overhead transparency. When participants have no more ideas, fill in missing items as needed.

- 1. Drug-resistant TB
- 2. Prior treatment failure
- 3. HIV-positive
- 4. Homeless
- 5. Substance users
- 6. Children/adolescents
- 7. Foreign-born, recent arrivals, or anyone with language barriers
- 8. Persons with mental or physical disabilities
- 9. Patients who are failing on therapy (slow sputum conversion)
- 10. Patients who give us a reason to doubt their adherence
- 11. Patients on intermittent therapy (2–3 times per week)

## F. DOT counseling: contracts and agreements

It may be useful to develop a letter of agreement or acknowledgment between the patient and the DOT worker providing DOT services. Some jurisdictions have successfully used these as a method of ensuring adherence to therapy.

The DOT worker and the patient negotiate dates, places, and times for DOT services to be provided and both sign a document stating such agreements. Included in the agreement could be language specifying what consequences may result in the event that the client violates the terms of the contract. Two examples are shown as attachments (pages 1-13 and 1-14 in the *Trainer's Guide*; pages 1-11 and 1-12 in the *Participant's Workbook*.)

15 MIN

### ► ACTIVITY



### **DOT Tasks and Skills**

View A Day in the Life of the San Francisco DOT Program video (5 min.).

Discuss the following questions:

1. What DOT tasks and skills were demonstrated in the video?

Delivering medications; watching patients take pills; building patient/provider relationship (rapport)

2. Why were some patients in the video at high risk for non-adherence?

Mentally ill; substance using; homeless; children

3. What are some other types of patients at high priority for DOT?

Patients who: have drug-resistant TB; are foreign-born or recent arrivals, or have language barriers; have slow sputum conversion; are HIV-positive; have prior treatment failures; are on intermittent therapy.

4. How did the DOT workers in the video build a positive relationship with their patients?

Responses might include: took the time to talk to and get to know patients; demonstrated a kind and caring attitude; used incentives; demonstrated a positive, relaxed attitude; "Tender Loving Care."

## 10 MIN REVIEW QUESTIONS



The following questions can be used for a group discussion to review the session's main points (use overhead/PowerPoint slides, Review Questions), or they can be utilized as a written post-test for individuals (see page 1-10 in Participant's Workbook).

1)	Name three populations at risk for TB in the U.S.
2)	Name a population that is at particular risk in your local jurisdiction.
3)	What is TB case management?
4)	What are two negative consequences that can occur if a patient is nonadherent?
5)	What is DOT?
6)	What are the four main tasks involved in DOT?
7)	What are three high-risk groups of patients that must receive DOT?

## 5 MIN EVALUATION

Ask participants to share their feedback about this training session on the evaluation form (see page 1-14 in Participant's Workbook).

## KERN COUNTY DEPARTMENT OF PUBLIC HEALTH



Babatunde A. Jinadu, M.D., M.P.H. Director of Public Health Services Health Officer

DISEASE CONTROL PROGRAM
Boyce B. Dulan, M.D., Director
1800 Mount Vernon Avenue Third Floor
Bakersfield, CA 93306-3302
Voice # (661) 868-0510
Fax # (661) 868-0261

## **Direct Observed Therapy Verbal/Written Agreement**

l,		
residing at		
agree to be at		
on (Date)	, at (Time)	AM / PM for treatment.
(Date)	(Time)	
Department at least one	e site at the time mentione (1) hour prior to the time a nsideration from the health	
I can be reached at: Phone:		
Phone:		
Phone:		
I can reach the following	health department staff at	:
(Name)	(Phone)	
(Name)	(Phone)	
(Name)	(Phone)	
Patient Signature	Health Departm	ent Staff Signature
		Date

LOCAL HEALTH DEPARTMENT ADDRESS: 1800 Mt. Vernon Ave., Bakersfield, CA 93306



Name:	
ID#:	
Date of birth:	

## NOTICE OF COUNSELING FOR DIRECTLY OBSERVED THERAPY (DOT) FOR TUBERCULOSIS

I,		, am a client of the		
	County Health De	partment and I am being treated for		
tuberculo	sis. It has been determined by the Heal	th Department that I must participate in		
Directly C	Observed Therapy (D.O.T.) in order to tro	eat my tuberculosis. I have been advised of		
the follow	ving:			
1.	Tuberculosis is an infectious disease t	Tuberculosis is an infectious disease that can be fatal if not properly treated.		
2.	Directly Observed Therapy means that	a representative of the Health Department		
	must observe and closely monitor the	ingestion of my tuberculosis medicine.		
3.	A representative of the County Health	Department will provide my Directly Observed		
	Therapy on	(days), in the		
4.		comply with all of the terms and conditions of		
	Directly Observed Therapy may result	in more restrictive treatment or my involuntar		
	hospitalization pursuant to Sections 39	2.55, 392.56, and 392.57, F.S. (1995).		
AND CO		GOING. I HAVE BEEN FULLY ADVISED JLOSIS, THE RISK FACTORS AND THE		
	Client	Date		
Healt	h Department Representative/Title	Date		
\\/	itness/Interpreter's Signature	Date		

DH 1184, 01/98

#### ADDITIONAL RESOURCES

- Core Curriculum on Tuberculosis, 4th ed. Atlanta: Centers for Disease Control and Prevention: 2000.
- New York State Department of Health, Bureau of TB Control: (518) 474-4845;
   videos and publications
- Self-Study Modules on Tuberculosis: 1 5. Atlanta: Centers for Disease Control and Prevention: 1995.
- Self-Study Modules on Tuberculosis: 6 9. Atlanta: Centers for Disease Control and Prevention: 1999.
- http://www.thoracic.org
   American Thoracic Society
- http://www.cdcnpin.org/tb/start/htm
   CDC National Prevention Information Network
- http://www.harlemtbcenter.org
   Charles P. Felton National Tuberculosis Center at Harlem Hospital
- http://www.cdc.gov/nchstp/tb\*
   Division of TB Elimination, Centers for Disease Control and Prevention
- http://www.nationaltbcenter.edu
   Francis J. Curry National Tuberculosis Center
- http://www.iuatld.org
   International Union Against Tuberculosis and Lung Disease
- http://www.hopkins-tb.org/index.shtml
   Johns Hopkins Center for Tuberculosis Research
- http://www.njc.org
   National Jewish Medical and Research Center
- http://www.umdnj.edu/ntbcweb
   New Jersey Medical School National TB Center
- http://www.tbinitiative.org/issues.html
   Princeton Project 55 Tuberculosis Initiative
- http://cdcnpin.org/tb/listserv/htm TB-EDucate Listserv
- http://www.south-asia.com/ngo-tb
   TB Net the Global TB Network
- http://www.who.int/gtb
   World Health Organization Global TB Programme

<sup>\*</sup> Order CDC's educational materials through this website